Acute toxic effects of fragrance products

(Anderson & Anderson, 1998)

To evaluate whether fragrance products can produce acute toxic effects in mammals, we allowed groups of male Swiss-Webster mice to breathe the emissions of five commercial colognes for 1 hour. The emissions of these fragrance products caused various combinations of sensory irritation, pulmonary irritation, decreases in expiratory airflow velocity, as well as alterations of the functional observational battery indicative of neurotoxicity. Neurotoxicity was more severe after mice were repeatedly exposed to the fragrance products. In summary, some fragrance products emitted chemicals that caused a variety of acute toxicities in mice.

Archives of Environmental Health.
1998 Mar-Apr;53(2):138-46.

Acute toxic effects of fragrance products

(Anderson & Anderson, 1998)

To evaluate whether fragrance products can produce acute toxic effects in mammals, we allowed groups of male Swiss-Webster mice to breathe the emissions of five commercial colognes for 1 hour. The emissions of these fragrance products caused various combinations of sensory irritation, pulmonary irritation, decreases in expiratory airflow velocity, as well as alterations of the functional observational battery indicative of neurotoxicity. Neurotoxicity was more severe after mice were repeatedly exposed to the fragrance products. In summary, some fragrance products emitted chemicals that caused a variety of acute toxicities in mice.

Archives of Environmental Health.
1998 Mar-Apr;53(2):138-46.

Acute toxic effects of fragrance products

(Anderson & Anderson, 1998)

To evaluate whether fragrance products can produce acute toxic effects in mammals, we allowed groups of male Swiss-Webster mice to breathe the emissions of five commercial colognes for 1 hour. The emissions of these fragrance products caused various combinations of sensory irritation, pulmonary irritation, decreases in expiratory airflow velocity, as well as alterations of the functional observational battery indicative of neurotoxicity. Neurotoxicity was more severe after mice were repeatedly exposed to the fragrance products. In summary, some fragrance products emitted chemicals that caused a variety of acute toxicities in mice.

Archives of Environmental Health.
1998 Mar-Apr;53(2):138-46.

Acute toxic effects of fragrance products

(Anderson & Anderson, 1998)

To evaluate whether fragrance products can produce acute toxic effects in mammals, we allowed groups of male Swiss-Webster mice to breathe the emissions of five commercial colognes for 1 hour. The emissions of these fragrance products caused various combinations of sensory irritation, pulmonary irritation, decreases in expiratory airflow velocity, as well as alterations of the functional observational battery indicative of neurotoxicity. Neurotoxicity was more severe after mice were repeatedly exposed to the fragrance products. In summary, some fragrance products emitted chemicals that caused a variety of acute toxicities in mice.

Archives of Environmental Health.
1998 Mar-Apr;53(2):138-46.

Acute toxic effects of fragrance products

(Anderson & Anderson, 1998)

To evaluate whether fragrance products can produce acute toxic effects in mammals, we allowed groups of male Swiss-Webster mice to breathe the emissions of five commercial colognes for 1 hour. The emissions of these fragrance products caused various combinations of sensory irritation, pulmonary irritation, decreases in expiratory airflow velocity, as well as alterations of the functional observational battery indicative of neurotoxicity. Neurotoxicity was more severe after mice were repeatedly exposed to the fragrance products. In summary, some fragrance products emitted chemicals that caused a variety of acute toxicities in mice.

Archives of Environmental Health.
1998 Mar-Apr;53(2):138-46.

Acute toxic effects of fragrance products

(Anderson & Anderson, 1998)

To evaluate whether fragrance products can produce acute toxic effects in mammals, we allowed groups of male Swiss-Webster mice to breathe the emissions of five commercial colognes for 1 hour. The emissions of these fragrance products caused various combinations of sensory irritation, pulmonary irritation, decreases in expiratory airflow velocity, as well as alterations of the functional observational battery indicative of neurotoxicity. Neurotoxicity was more severe after mice were repeatedly exposed to the fragrance products. In summary, some fragrance products emitted chemicals that caused a variety of acute toxicities in mice.

Archives of Environmental Health.
1998 Mar-Apr;53(2):138-46.

Acute toxic effects of fragrance products

(Anderson & Anderson, 1998)

To evaluate whether fragrance products can produce acute toxic effects in mammals, we allowed groups of male Swiss-Webster mice to breathe the emissions of five commercial colognes for 1 hour. The emissions of these fragrance products caused various combinations of sensory irritation, pulmonary irritation, decreases in expiratory airflow velocity, as well as alterations of the functional observational battery indicative of neurotoxicity. Neurotoxicity was more severe after mice were repeatedly exposed to the fragrance products. In summary, some fragrance products emitted chemicals that caused a variety of acute toxicities in mice.

Archives of Environmental Health.
1998 Mar-Apr;53(2):138-46.

Acute toxic effects of fragrance products

(Anderson & Anderson, 1998)

To evaluate whether fragrance products can produce acute toxic effects in mammals, we allowed groups of male Swiss-Webster mice to breathe the emissions of five commercial colognes for 1 hour. The emissions of these fragrance products caused various combinations of sensory irritation, pulmonary irritation, decreases in expiratory airflow velocity, as well as alterations of the functional observational battery indicative of neurotoxicity. Neurotoxicity was more severe after mice were repeatedly exposed to the fragrance products. In summary, some fragrance products emitted chemicals that caused a variety of acute toxicities in mice.

Archives of Environmental Health.
1998 Mar-Apr;53(2):138-46.

Acute toxic effects of fragrance products

(Anderson & Anderson, 1998)

To evaluate whether fragrance products can produce acute toxic effects in mammals, we allowed groups of male Swiss-Webster mice to breathe the emissions of five commercial colognes for 1 hour. The emissions of these fragrance products caused various combinations of sensory irritation, pulmonary irritation, decreases in expiratory airflow velocity, as well as alterations of the functional observational battery indicative of neurotoxicity. Neurotoxicity was more severe after mice were repeatedly exposed to the fragrance products. In summary, some fragrance products emitted chemicals that caused a variety of acute toxicities in mice.

Archives of Environmental Health.
1998 Mar-Apr;53(2):138-46.

Acute toxic effects of fragrance products

(Anderson & Anderson, 1998)

To evaluate whether fragrance products can produce acute toxic effects in mammals, we allowed groups of male Swiss-Webster mice to breathe the emissions of five commercial colognes for 1 hour. The emissions of these fragrance products caused various combinations of sensory irritation, pulmonary irritation, decreases in expiratory airflow velocity, as well as alterations of the functional observational battery indicative of neurotoxicity. Neurotoxicity was more severe after mice were repeatedly exposed to the fragrance products. In summary, some fragrance products emitted chemicals that caused a variety of acute toxicities in mice.

Archives of Environmental Health.
1998 Mar-Apr;53(2):138-46.